Multifunctional Chlorine Granules

1. Identification of the substance/preparation and of the company/undertaking

1.1 Product Identifier Multifuntional Chlorine Granules

1.2 Relevant Identified uses and restriction of the substance or mixture

Uses: For disinfection of pool and spa water.

1.3 Details of the supplier of the safety data sheet

Company: Complete Pool Controls Ltd

Unit 2, The Park Stoke Orchard Bishops Cleeve Gloucestershire GL52 7RS

Telephone: +44 (0) 3712 229084 Fax: +44 (0) 8712 229083

E-mail: <u>sales@cpc-chemicals.co.uk</u>

1.4 Emergency Telephone

Tel: +44 (0) 8712 229081 (office hours) +44 (0) 1242 300271 (outside of office hours)

2. Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Hazard Class Hazard Statements

Acute Tox. 4 * H302
Eye Irrit. 2 H319
STOT SE 3 H335
Aquatic Acute 1 H410

For the full text of the H statements mentioned in this section see Section 16.

Most important adverse effects

Human Health: See section 11 for toxicilogical information
Physical & Chemical Hazards: See section 9 for physicochemical information
Potential environmental effects: See section 12 for environmental information

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard symbols:

҈ 🕸

Signal word: Danger

Hazard statements: H302 Harmful if swallowed.

H319 Causes serious eye irritation

H410: Very toxic to aquatic life with long lasting effects

H335+H336: May cause respiratory irritation. May cause drowsiness or dizziness

EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases

(chlorine).

Use biocides safely. Always read the label and product information before use.

Precautionary statements: P102 Keep out of reach of children

P402 Store in a dry place.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P501 Dispose of contents/container in accordance with national regulations.

Hazardous components which must be listed on the label Sodium Dichlor, Aluminium Sulphate and Copper Sulphate

2.3 Other Hazards No other information is available.

3. Composition/information on ingredients

3.2 Mixture

sodium dichloroisocyanurate, dihydrate

EINECS	CAS	PBT / WEL	CLP Classification	Percent
			Met. Corr. 1: H290; Skin Sens.	
		-	1A:H317; Eye Dam. 1: H318; Aquatic	50 - 100%
220-767-7	51580-86-0		Chronic 2: H411	

aluminium sulphate

233-135-0 10043-01-3 - Eye Dam. 1: H318 2.5 - 10%

copper sulphate pentahydrate

			Acute Tox 4. H302; Eye Irrit. H319; Skin	
-	7758-99-8	-	Irrit. 2: H315; Aquatic Acute 1: H400;	<u><</u> 2.5%
			Aquatic Chronic 1: H410	

Contains: Mixture of listed substances with non hazardous additions.

4. First Aid measures

4.1 Description of first aid measures

General Advice: Take off all contaminated clothing immediately.

If inhaled: Move to fresh air. Remove contaminated clothing and loosen remaining clothing. Seek immediate

medical advice.

In case of unconsciousness place patient stably in side position for transportation

In case of skin contact:

Drench the skin with plenty of water. Remove contaminated clothing and wash before reuse. If

large areas of the skin is damaged or if irritation persists seek medical attention

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Consult an eye specialist immediately. Go to an ophthalmic

hospital if necessary.

If swallowed: Clean mouth with water and drink afterwards plenty of water. Never give anything

by mouth to an unconscious person. Do NOT induce vomiting. Call a

physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptom & effects: No further information available.

4.3 Indication of immediate medical attention and special treatment needed

Treatment Treat Symptomatically.

5. Fire fighting measures

5.1 Extinguishing media:

Suitable media: Use fire extinguishing methods suitable to surrounding conditions.

Unsuitable media: Foam or water

5.2 Special hazards arising from the substance or mixture

Specific Hazards: In case of fire, the following can be released: Nitrogen oxides (NOx)

Hydrogen chloride (HCI)

5.3 Advice for fire-fighters

Fire-fighters should wear full protective clothing and self-contained breathing apparatus (SCBA).

Protective equipment Thoroughly decontaminate fire-fighting equipment including all fire fighting wearing apparel after

the incident.

Further Information: Collect contaminated fire extinguishing water separately.

6. Accidental release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions: Use personal protective equipment. Provide adequate ventilation.

For personal protection see section 8.

6.2 Environmental precautions

Environmental precautions: Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration

If the product contaminates rivers and lakes or drains inform respective authorities Local authorities should be advised if significant spillages cannot be contained

6.3 Methods and materials for containment and cleaning up

Cleaning up Pick up mechanically. Dispose of contaminated material as waste according to item 13. Ensure

adequate ventilation.

6.4 Reference to other sections

For personal protection see section 8

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling:

DO NOT MIX WITH OTHER CHEMICALS. Mix only with water. Never add water to

product. Always add product to water. Use clean dry dispensing equipment.

Keep away from food, drink and animal feeding stuffs. Smoking, eating and drinking Hygiene measures: should be prohibited in the application area. Wash hands before breaks and at the

should be prohibited in the application area. Wash hands before breaks and at the end of the work day. Take off all contaminated clothing immediately. Provide

adequate ventilation. Avoid contact with the skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities.

Requirements for storage areas and

containers:

Keep this product in original, sealed container when not in use. Store in a cool, dry,

well-ventilated area.

Advice on protection against fire: Normal measures for preventive fire protection

Further information on storage Keep away from children. Prevent seepage into the ground

Advice on common storage: Do not store together with acids

7.3 Specific end uses

Specific use(s) No information is available.

8. Exposure control/personal protection

8.1 Control parameters

Sodium dichloroisocyanurate, dihydrate Sodium dichloroisocyanurate, dihydrate 0.07mg/m³ 0.02mg/m³

8.2 Exposure controls

Engineering measures Fume cupboard required when vapours/aerosol are generated.

Refer to protective measures listed in sections 7 and 8.

Personal protective equipment

Respiratory protection

In case of brief exposure or low pollution use respiratory filter device Filter AB2P2. Filter AB2P3. In case of interest and protection interest and protection in the protection of the protection in the protection of the p

intensive or longer exposure use self- contained respiratory protective device

Trade Name: Multifunctional Chlorine Granules

8. Exposure control/personal protection

8.2 Exposure controls

Personal protective equipment

Hand protection Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive

89/686/EEC and standard EN 374.

Eye protection Wear safety glasses approved to standard EN 166.

Skin and body protection Wear appropriate clothing to prevent repeated or prolonged skin contact

Environmental exposure controlsDispose of in accordance with all applicable local and national regulations.

Environmental exposure controls

General advice: Do not flush into surface water or sanitary sewer systems

General room ventilation plus local exhaust should be used to maintain exposure below TLV. Eyewash and emergency shower facilities recommended. Remove and wash contaminated clothing before reuse.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form: Granular Colour: Whitish

Odour: Characteristic chlorine

pH @ 20°C: 7.0 - 10% (aqueous solution)

Melting Point Undetermined Boiling point/boiling range: Undetermined

Self Igniting: >200°C

Relative vapour density: No information available

Density @ 20°C: Undetermined Water solubility: Partly soluble

Explosive properties: Product does not present an explosion hazard

Oxidising properties: Product is not an oxidiser

9.2 Other Information No information available

10. Stability and reactivity

10.1 Reactivity

Reactivity No decomposition if used according to specifications

10.2 Chemical stability

Chemical stability Currently we do not have any information from our supplier about this.

10.3 Possibility of hazardous reactions

Hazardous reactions: Reacts with acids releasing chlorine. Reacts with Oxidisers

10.4 Conditions to avoid

Conditions to avoid High temperature. Poor ventilation. Contamination. Moisture/high humidity.

10.5 Incompatible materials

Materials to avoid Reacts with acids releasing chlorine.

10.6 Hazardous decomposition products

Haz. Decomp. products: Chlorine

Trade Name: Multifunctional Chlorine Granules

11. Toxilogical Information

11.1 Information on toxilogical effects

LD/LC50 values relevant for classification:

Acute Toxicity

51580-86-0 sodium dichloroisocyanurate, dihydrate

LD50 Oral	1400 mg/kg	Rat
Value type	Value	Species

7758-99-8 copper sulphate pentahydrate
LD50 Oral 300 mg/kg Rat

Primary Irritant effect

On the skin: Powder may irritate skin after prolonged contact.

On the eye: Particles in the eyes may cause irritation and smarting

Carcinogenic This product is not listed as a carcinogen

Mutagenic Currently we do not have any information from our supplier about this.

Sensitization: No sensitizing effects known

Additional toxicological information: No specific symptoms noted.

12. Ecological Information

12.1 Acute Toxicity

Toxicity This product is toxic to fish and other organisms

12.2 Persistence and degradability

Persistence and degradability No information available

12.3 Bioaccumlative potential

Bioaccumlative potential No information available

12.4 Mobility in soil

Mobility in soil soluble in water, predicted to have high mobility in soil.

12.5 Results of PBT and PvB assessment

PBT and PvB assessment No data available

12.6 Other adverse effects

Remarks: Water hazard class 2 (German Regulation) (self-assessment): hazardous for water:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small amounts leak into the ground.

Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms.

13. Disposal Considerations

13.1 Waste treatment methods

Disposal together with normal waste is not allowed. Special disposal is required according to local Product:

regulations. Do not let product enter drains. Contact waste disposal services.

Empty contaminated packaging thoroughly. They can be re-cycled after thorough and proper

Contaminated packaging: cleaning. Packaging that cannot be cleaned is to be disposed of in the same manner as the

product

No waste code according to the European Waste Catalogue can be assigned for this product, as

Waste Catalogue No: the intended use dictates the assignment. The waste code is established in consultation with the

regional waste disposer.

14. Transport Information

14.1 UN Number 3077

14.2 UN proper shipping name 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID N.O.S. (SODIUM

14.3 Transport hazard class(es)

Class 9
Classification Code M7
Hazard label 90
Transport Category 3

14.4 Packaging Group

14.5 Environmental hazards

Environmentally Hazardous Yes Marine Pollutant Yes

14.6 Special precautions for userNot applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code N/a

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture.

Regulatory List Notification Notification No

15.2 Chemical Safety Assessment

Currently we do no have any information from our supplier about this.

16. Other information

Full text of H-statements referred to under sections 2 and 3

H302 Harmful if swallowed.
 H319 Causes serious eye irritation
 H400: Very toxic to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H335+H336: May cause respiratory irritation. May cause drowsiness or dizziness

EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Further information

Restricted to professional users. Attention - Avoid exposure- obtain special instructions before use
This information is believed to be accurate and represents the best information currently available to us. However, we make no
warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this
information, and we assume no liability resulting from use of this information Users should make their own investigations to determine
the suitability of the information for their particular needs and uses.

Indicates updated section