


PURE  SPAS



ENJOY THE BRIGHTNESS

PURE SPAS

COMFORT & DESIGN

HYDROTHERAPY

EASY OF MAINTENANCE

QUALITY OF CONSTRUCTION

ENERGY EFFICIENT



The PURE SPAS Story

COMFORT AND DESIGN

Your family and friends can share laughter and good conversation while enjoying the comfortable seating of one of our Pure Spas. The spa will create an ideal setting to rejuvenate and relax.

HYDROTHERAPY

The hydrotherapy jets provide a soothing massage to relax your body. The jets are strategically positioned to ensure a silky smooth experience and are sure to delight your senses.

EASY OF MAINTENANCE

Our filtration system automatically filters your spa water for a sparkling clean shine. Select our optional AquaPure Water Management System™ for a self contained water purification system. This advanced solution is a natural way to create sanitizer and will ensure that your spa water is safe and clean for you and your family to enjoy.

QUALITY OF CONSTRUCTION

Pure Spas are constructed with a synthetic support structure giving you peace of mind and long lasting performance. Our spas are made with a maintenance free cabinet which is snugly fastened to the support structure.

ENERGY EFFICIENT

We use poly urethane foam on the shell and a double layer thermalux on the panels to maximize heat retention and minimize energy consumption. This will allow you to enjoy the benefits of hot water and pleasing massage while saving money and the environment.



RENEW

DIMENSIONS

- Length: 204 cm
- Width: 158 cm
- Height: 83 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- StarBrite Interior Perimeter LED lighting
- 3 Seats, Including 2 Lounges
- 26 All-Active Hydrotherapy Jets
- 8 Air Jets
- 3 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 3 Luxury Headrests
- Programmable Filtration System
- High-Flow 3 HP Pump
- Balboa Heating System
- Aromatherapy
- 14 LED Lights

TECHNICAL SPECIFICATIONS

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: One Single Cartridge
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 850 liters
- Dry Weight: 200 Kgs
- Filled Weight: 1050 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 240 V / 16 A

REFRESH

DIMENSIONS

- Length: 200 cm
- Width: 200 cm
- Height: 84 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 2 LED Lights in cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 5 Seats, Including a Lounge
- 26 All-Active Hydrotherapy Jets
- 8 Air Jets
- 4 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 3 Luxury Headrests
- Programmable Filtration System
- High-Flow 3 HP Pump
- Balboa Heating System
- Aromatherapy
- 14 LED Lights

TECHNICAL SPECIFICATIONS

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: One Single Cartridge
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 1380 liters
- Dry Weight: 250 Kgs
- Filled Weight: 1630 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 240 V / 16 A

RELAX

DIMENSIONS

- Length: 200 cm
- Width: 200 cm
- Height: 85 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 2 LED Lights in cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 5 Seats, Including 2 Lounges
- 24 All-Active Hydrotherapy Jets
- 8 Air Jets
- 3 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 3 Luxury Headrests
- Programmable Filtration System
- High-Flow 3 HP Pump
- Balboa Heating System
- Aromatherapy
- 14 LED Lights

TECHNICAL SPECIFICATIONS

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: One Single Cartridge
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 1300 liters
- Dry Weight: 275 Kgs
- Filled Weight: 1575 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 240 V / 16 A

BRIGHT

DIMENSIONS

- Length: 228 cm
- Width: 228 cm
- Height: 95 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 Led Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 5 Seats, Including 1 Lounge
- 88 All-Active Hydrotherapy Jets
- 8 Air Jets
- 5 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 3 Luxury Headrests
- Programmable Filtration System
- Three High-Flow 2,5 HP Pump
- Balboa Heating System
- Aromatherapy
- 26 LED Lights

TECHNICAL SPECIFICATIONS

- Pump 1: 2,5 HP
- Pump 2: 2,5 HP
- Pump 3: 2,5 HP
- Pump 4: Circulation Pump
- Pump 5: Airblower
- Filtration: Two Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 1720 liters
- Dry Weight: 350 Kgs
- Filled Weight: 2070 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

SUNNY

DIMENSIONS

- Length: 228 cm
- Width: 228 cm
- Height: 95 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 6 Seats, Including 2 Lounges
- 100 All-Active Hydrotherapy Jets
- 8 Air Jets
- 5 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 4 Luxury Headrests
- Programmable Filtration System
- Three High-Flow 2,5 HP Pump
- Balboa Heating System
- Aromatherapy
- 26 LED Lights

TECHNICAL SPECIFICATIONS

- Pump 1: 2,5 HP
- Pump 2: 2,5 HP
- Pump 3: 2,5 HP
- Pump 4: Circulation Pump
- Pump 5: Airblower
- Filtration: Two Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 1680 liters
- Dry Weight: 350 Kgs
- Filled Weight: 2030 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

THEATER SPA

DIMENSIONS

- Length: 380 cm
- Width: 228 cm
- Height: 116 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 8 Seats, Including 2 Lounges
- 118 All-Active Hydrotherapy Jets
- 8 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 8 Luxury Headrests
- Programmable Filtration System
- Four High-Flow 3,0 HP Pump
- Balboa Heating System
- Aromatherapy
- 50 LED Lights
- 42" Pop Up LCD TV
- 4 Marine Speakers

TECHNICAL SPECIFICATIONS

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump
- Filtration: Three Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 5000 liters
- Dry Weight: 750 Kgs
- Filled Weight: 5750 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

SWIMSPA AQUATIC 1

DIMENSIONS

- Length: 400 cm
- Width: 228 cm
- Height: 126 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 3 Seats, Including 1 Lounge
- 35 All-Active Hydrotherapy Jets
- 4 Turbo Swim Jets
- Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Gravity Floor Drain
- 2 Luxury Headrests
- Programmable Filtration System
- Four High-Flow 3,0 HP Pump
- Balboa Heating System

TECHNICAL SPECIFICATIONS

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump
- Filtration: Three Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 7500 liters
- Dry Weight: 1200 Kgs
- Filled Weight: 8700 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

SWIMSPA AQUATIC 2

DIMENSIONS

- Length: 600 cm
- Width: 223 cm
- Height: 126 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 2 Comfortable Seats
- 30 All-Active Hydrotherapy Jets
- 4 Turbo Swim Jets
- Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Gravity Floor Drain
- 2 Luxury Headrests
- Programmable Filtration System
- Four High-Flow 3,0 HP Pump
- Balboa Heating System

TECHNICAL SPECIFICATIONS

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump
- Filtration: Three Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 12500 liters
- Dry Weight: 1200 Kgs
- Filled Weight: 13700 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

SWIMSPA AQUATIC 3

DIMENSIONS

- Length: 582 cm
- Width: 224 cm
- Height: 130 cm
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 6 Seats, Including 2 Lounges
- 69 All-Active Hydrotherapy Jets
- 6 Turbo Swim Jets
- Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Gravity Floor Drain
- 4 Luxury Headrests
- Programmable Filtration System
- Four High-Flow 3,0 HP Pump
- Balboa Heating System

TECHNICAL SPECIFICATIONS

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump Swim Side
- Pump 6: Circulation Pump Spa Side
- Filtration: Three Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 12500 liters
- Dry Weight: 1550 Kgs
- Filled Weight: 14050 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

THE RENEW Standard Features

Dimensions

- Length: 204 cm
- Width: 158 cm
- Height: 83 cm

- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- StarBrite Interior Perimeter LED lighting
- 3 Seats, Including 2 Lounges
- 26 All-Active Hydrotherapy Jets
- 8 Air Jets
- 3 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 3 Luxury Headrests
- Programmable Filtration System
- High-Flow 3 HP Pump
- Balboa Heating System
- Aromatherapy
- 14 LED Lights



Technical Specifications

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: One Single Cartridge
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 850 liters
- Dry Weight: 200 Kgs
- Filled Weight: 1050 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 240 V / 16 A

the RENEW

THE REFRESH Standard Features

Dimensions

- Length: 200 cm
- Width: 200 cm
- Height: 84 cm

- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 2 LED Lights in cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 5 Seats, Including a Lounge
- 26 All-Active Hydrotherapy Jets
- 8 Air Jets
- 4 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 3 Luxury Headrests
- Programmable Filtration System
- High-Flow 3 HP Pump
- Balboa Heating System
- Aromatherapy
- 14 LED Lights



Technical Specifications

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: One Single Cartridge
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 1380 liters
- Dry Weight: 250 Kgs
- Filled Weight: 1630 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 240 V / 16 A

the REFRESH




THE RELAX Standard Features

Dimensions

- Length: 200 cm
- Width: 200 cm
- Height: 85 cm

- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 2 LED Lights in cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 5 Seats, Including 2 Lounges
- 24 All-Active Hydrotherapy Jets
- 8 Air Jets
- 3 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 3 Luxury Headrests
- Programmable Filtration System
- High-Flow 3 HP Pump
- Balboa Heating System
- Aromatherapy
- 14 LED Lights



Technical Specifications

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: One Single Cartridge
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 1300 liters
- Dry Weight: 275 Kgs
- Filled Weight: 1575 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 240 V / 16 A

—the RELAX

THE BRIGHT Standard Features

Dimensions

- Length: 228 cm
- Width: 228 cm
- Height: 95 cm

- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 Led Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 5 Seats, Including 1 Lounge
- 88 All-Active Hydrotherapy Jets
- 8 Air Jets
- 5 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 3 Luxury Headrests
- Programmable Filtration System
- Three High-Flow 2,5 HP Pump
- Balboa Heating System
- Aromatherapy
- 26 LED Lights



Technical Specifications

- Pump 1: 2,5 HP
- Pump 2: 2,5 HP
- Pump 3: 2,5 HP
- Pump 4: Circulation Pump
- Pump 5: Airblower
- Filtration: Two Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 1720 liters
- Dry Weight: 350 Kgs
- Filled Weight: 2070 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A



—the BRIGHT

THE SUNNY Standard Features

Dimensions

- Length: 228 cm
- Width: 228 cm
- Height: 95 cm

- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 6 Seats, Including 2 Lounges
- 100 All-Active Hydrotherapy Jets
- 8 Air Jets
- 5 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 4 Luxury Headrests
- Programmable Filtration System
- Three High-Flow 2,5 HP Pump
- Balboa Heating System
- Aromatherapy
- 26 LED Lights



Technical Specifications

- Pump 1: 2,5 HP
- Pump 2: 2,5 HP
- Pump 3: 2,5 HP
- Pump 4: Circulation Pump
- Pump 5: Airblower
- Filtration: Two Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 1680 liters
- Dry Weight: 350 Kgs
- Filled Weight: 2030 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

the **SUNNY**



THE THEATER SPA Standard Features

Dimensions

- Length: 380 cm
- Width: 228 cm
- Height: 116 cm

- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 8 Seats, Including 2 Lounges
- 118 All-Active Hydrotherapy Jets
- 8 Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Cascading Water Fountain
- Gravity Floor Drain
- 8 Luxury Headrests
- Programmable Filtration System
- Four High-Flow 3,0 HP Pump
- Balboa Heating System
- Aromatherapy
- 50 LED Lights
- 42" Pop Up LCD TV
- 4 Marine Speakers



the **THEATER SPA**



Technical Specifications

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump
- Filtration: Three Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 5000 liters
- Dry Weight: 750 Kgs
- Filled Weight: 5750 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A



THE SWIMSPA AQUATIC 1 Standard Features

Dimensions

- Length: 400 cm
- Width: 228 cm
- Height: 126 cm

- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 3 Seats, Including 1 Lounge
- 35 All-Active Hydrotherapy Jets
- 4 Turbo Swim Jets
- Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Gravity Floor Drain
- 2 Luxury Headrests
- Programmable Filtration System
- Four High-Flow 3,0 HP Pump
- Balboa Heating System

Technical Specifications

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump
- Filtration: Three Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 7500 liters
- Dry Weight: 1200 Kgs
- Filled Weight: 8700 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

the SWIMSPA AQUATIC 1



SWIMSPA AQUATIC 2 Standard Features

Dimensions

- Length: 600 cm
- Width: 223 cm
- Height: 126 cm

- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 2 Comfortable Seats
- 30 All-Active Hydrotherapy Jets
- 4 Turbo Swim Jets
- Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
- Gravity Floor Drain
- 2 Luxury Headrests
- Programmable Filtration System
- Four High-Flow 3,0 HP Pump
- Balboa Heating System

the SWIMSPA AQUATIC 2

Technical Specifications

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump
- Filtration: Three Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 12500 liters
- Dry Weight: 1200 Kgs
- Filled Weight: 13700 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A

SWIMSPA AQUATIC 3 Standard Features

Dimensions

- Length: 582 cm
- Width: 224 cm
- Height: 130 cm


- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- 4 LED Lights in Cabinet corner panels
- StarBrite Interior Perimeter LED lighting
- 6 Seats, Including 2 Lounges
- 69 All-Active Hydrotherapy Jets
- 6 Turbo Swim Jets
- Multiple Zoned Air Controls
- Ozone Oxidation System for Cleaner Water
 - Gravity Floor Drain
- 4 Luxury Headrests
- Programmable Filtration System
- Four High-Flow 3,0 HP Pump
- Balboa Heating System



the SWIMSPA AQUATIC 3

Technical Specifications


- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump Swim Side
- Pump 6: Circulation Pump Spa Side
- Filtration: Three Single Cartridges
- Control System: Balboa
- Heating System: 3KW Heating
- Water Capacity: 12500 liters
- Dry Weight: 1550 Kgs
- Filled Weight: 14050 Kgs
- Insulation: Poly Urethane, Heat Lock
- Electrical Requirements: 380 V / 3 x 20 A





In every respect Pure Spas offers you a relaxing spa. From the effective hydro massage to the comforting warranty. Quality for the best price possible, this is what we offer you. But even more important is our extended service that you can always rely on. We are there for you!

Team Pure Spas



Pure Spas

Meervelderweg 52, 3888 NK Uddel

The Netherlands

+31 (0) 577 456040

info@pure-spas.com

www.pure-spas.com

