

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Pool Fusion
- **Registration number** Mixture
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category**
 - PC37 Water treatment chemicals
 - PC8 Biocidal products
- **Application of the substance / the mixture** Disinfectant
- **Uses advised against**
 - Processes involving the use of incompatible substances - refer to section 10.
 - Processes involving extreme heat use advised against.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
 - Complete Pool Controls Ltd
 - Unit 2, The Park
 - Stoke Orchard
 - Bishops Cleeve
 - Gloucestershire
 - GL52 7RS
 - UK
- **Tel:** +44 (0)1242 662700 (office hours)
- **email:** sales@cpc-chemicals.co.uk
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**
 - OHES Environmental

Tel: 01242 300271

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to GB-CLP**

Eye Irrit. 2	H319 Causes serious eye irritation.
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

- **2.2 Label elements**

- **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 1)

· **Hazard pictograms**



GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Troclosene sodium, dihydrate
Sodium persulphate

· **Hazard statements**

H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.
P284 [In case of inadequate ventilation] wear respiratory protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

EUH031 Contact with acids liberates toxic gas.
EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).
Contains biocidal active substance(s): Troclosene sodium, dihydrate

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
· **vPvB:** Not applicable.

* SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 51580-86-0 EC number: 610-700-3 Reg.nr.: 01-2119489371-33-XXXX	Troclosene sodium, dihydrate Alternative CAS number: 2893-78-9 ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335, EUH031, EUH206	25 – 50%
CAS: 7647-14-5 EINECS: 231-598-3 Reg.nr.: 01-2119494219-28-XXXX	Sodium chloride substance with a Community workplace exposure limit	25 – 50%

(Contd. on page 3)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 2)

CAS: 7775-27-1 EINECS: 231-892-1 Reg.nr.: 01-2119495975-15-XXXX	Sodium persulphate ⚠ Ox. Sol. 2, H272; ⚠ Resp. Sens. 1, H334; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	2.5 – < 10%
---	---	-------------

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

* SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
 In case of inhalation:
 - Provide fresh air.
 - In case of breathing difficulties administer oxygen.
 - No mouth-to-mouth or mouth-to-nose resuscitation. Use respiratory bag or oxygen resuscitation apparatus.
 - Do not leave patient unattended.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
 Immediately wash with water and soap and rinse thoroughly.
 If skin irritation continues, consult a doctor.
- **After eye contact:**
 Check for and remove any contact lenses.
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
 Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; call for medical help immediately.
 If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
 Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

* SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
 Water spray
 Carbon dioxide
 Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:**
 Foam
 ABC powder
 Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
 In case of fire, the following can be released:
 Sulphur Oxides (SOx)
 Chlorine gas
 Nitrogen oxides (NOx)

(Contd. on page 4)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 3)

Hydrogen chloride (HCl)

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Product is not classified as oxidizing. However, it enhances combustion of other substances.

· 5.3 Advice for firefighters**· Protective equipment:**

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

*** SECTION 6: Accidental release measures****· 6.1 Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust.

Ensure adequate ventilation

Mount respiratory protective device.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Do not use combustible materials such as paper towels to clean up spills.

DO NOT transport wet or damp material. Damp material should be neutralized to a safe state.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

*** SECTION 7: Handling and storage****· 7.1 Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Do not mix with acids.

Rinse contaminated clothing with plenty of water (Fire hazard)

Safety showers and eye wash facilities should be available at the work area.

Ensure good ventilation/exhaustion at the workplace.

Do not mix with acids.

· Information about fire - and explosion protection:

Substance/product can reduce the ignition temperature of flammable substances.

(Contd. on page 5)

— GB —

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 4)

· **Handling:**

Clean contaminated work equipment immediately to avoid skin corrosion/-irritation and/or allergic skin reactions in case of unconscious skin contact.

Prevent formation of dust.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

Prevent any seepage into the ground.

Do not store on combustible materials such as wooden floors or wooden pallets.

· **Information about storage in one common storage facility:**

Store away from flammable substances.

Do not store together with textiles.

Store away from reducing agents.

Do not store together with acids.

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

· **Storage class:** 11

· **7.3 Specific end use(s)** No further relevant information available.

* SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 51580-86-0 Troclosen sodium, dihydrate

WEL	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen; as -NCO
-----	---

CAS: 7647-14-5 Sodium chloride

RESPIRABLE DUST	Long-term value: 4 mg/m ³
TOTAL INHALABLE DUST	Long-term value: 10 mg/m ³

· **DNELs**

CAS: 51580-86-0 Troclosen sodium, dihydrate

Oral	Long-term systemic effects	1.15 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	1.15 mg/kg bw/day (general population) 2.3 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	1.99 mg/m ³ (general population) 8.11 mg/m ³ (worker)

CAS: 7647-14-5 Sodium chloride

Oral	Long-term systemic effects	126.65 mg/kg bw/day (general population)
	Short-term systemic effects	126.65 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	126.65 mg/kg bw/day (general population) 295.52 mg/kg bw/day (worker)

(Contd. on page 6)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 5)

Inhalative	Short-term systemic effects	126.65 mg/kg bw/day (general population) 295.52 mg/kg bw/day (worker)
	Long-term systemic effects	443.28 mg/m ³ (general population) 2,068.62 mg/m ³ (worker)
	Short-term systemic effects	443.28 mg/m ³ (general population) 2,068.62 mg/m ³ (worker)

CAS: 7775-27-1 Sodium persulphate

Oral	Short-term systemic effects	1.37 mg/kg bw/day (general population)
	Long-term systemic effects	460 µg/kg bw/day (general population)
Dermal	Long-term systemic effects	4.6 mg/kg bw/day (general population)
Inhalative	Long-term local effects	12.7 mg/kg bw/day (worker)
		421 µg/m ³ (general population) 824 µg/m ³ (worker)

· **PNECs**

CAS: 51580-86-0 Troclosen sodium, dihydrate

Freshwater	170 ng/L
Freshwater - Intermittent releases	1.7 µg/L
Marine water	1.52 mg/L
Sewage Treatment Plant	590 µg/L
Sediment (freshwater)	7.56 mg/kg
Soil	756 µg/kg

CAS: 7647-14-5 Sodium chloride

Freshwater	5 mg/L
Sewage Treatment Plant	500 mg/L
Soil	4.86 mg/kg

CAS: 7775-27-1 Sodium persulphate

Freshwater	518 µg/L
Freshwater - Intermittent releases	763 µg/L
Marine water	51.8 µg/L
Sewage Treatment Plant	3.6 mg/L
Sediment (freshwater)	2.03 mg/kg
Sediment (marine water)	203 µg/kg
Soil	100 µg/kg

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Do not breathe dust

(Contd. on page 7)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 6)

Do not eat or drink while working.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Chloroprene rubber, CR

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· **Body protection:**



Protective work clothing

Do not get on skin or clothing. Wear clothing and footwear that cannot be penetrated by the product. Suitable protective equipment may include: Chemical resistant boots, Chemical resistant apron, Full chemical protective suit with a hood, Chemical protective suit consisting of a jacket and trousers. The jacket should be buttoned up to the neck, sleeves sealed at the gloves, and trouser legs worn outside the boots. These precautions are required to prevent the clothing from accidentally trapping product against the skin.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

(Contd. on page 8)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 7)

· **Risk management measures** The operators shall be instructed adequately.

* SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Physical state	Solid
· Colour:	White
· Odour:	Like chlorine
· Odour threshold:	Not determined.
· Melting point/freezing point:	250 °C
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	9 – 10 (2%)
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water:	Soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density at 20 °C:	1.233 g/cm ³
· Relative density	Not determined.
· Bulk density:	1,000 kg/m ³
· Vapour density	Not applicable.

· **9.2 Other information**

	NOTE: The physical data presented above are typical values and should not be construed as a specification.
· Appearance:	
· Form:	Granulate
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not applicable.

· **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 9)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 8)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Risk of explosion on heating.
- **10.3 Possibility of hazardous reactions**
 - Reacts with oxidising agents.
 - Reacts with strong alkali.
 - Reacts with amines.
 - Strong exothermic reaction with acids.
 - Reacts with flammable substances.
 - Reacts with acids releasing chlorine.
 - Reacts with reducing agents.
- **10.4 Conditions to avoid**
 - Heat and static discharge.
 - Do not mix with other chemical formulations in their concentrated form.
- **10.5 Incompatible materials:**
 - Substances specifically listed in section 10.3 as incompatible.
 - Combustible materials.
 - Organic solvents.
 - Strong acids.
 - Reducing agents
 - Amines.
 - Ammonia
 - Hypochlorous acid and Hypochlorites
- **10.6 Hazardous decomposition products:**
 - Chlorine
 - Chlorine compounds
 - Carbon monoxide and carbon dioxide
 - Nitrogen oxides (NO_x)
 - Sulphur oxides (SO_x)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 9)

* SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	2,319.3 mg/kg (rat)
------	------	---------------------

CAS: 51580-86-0 Troclosen sodium, dihydrate

Oral	LD50	1,500 mg/kg (rat)
------	------	-------------------

Dermal	LD50	> 5,000 mg/kg (rabbit)
--------	------	------------------------

CAS: 7647-14-5 Sodium chloride

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

CAS: 7775-27-1 Sodium persulphate

Oral	LD50	920 mg/kg (rat)
------	------	-----------------

Dermal	LD50	> 10,000 mg/kg (rabbit)
--------	------	-------------------------

Inhalative	LC50/4 h	> 5 mg/l (rat)
------------	----------	----------------

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Causes serious eye irritation.

· **Respiratory or skin sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** May cause respiratory irritation.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

· **Additional toxicological information:**

ROUTES OF EXPOSURE: Can be absorbed into the body by inhalation and by ingestion.

Repeated or prolonged skin contact may induce sensitisation.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients are listed.

* SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

CAS: 7647-14-5 Sodium chloride

EC50 (96 h)	> 4,000 mg/l (Bacteria)
-------------	-------------------------

	5,840 mg/l (fsh)
--	------------------

(Contd. on page 11)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 10)

CAS: 7775-27-1 Sodium persulphate

EC50 (72 h) | 320 mg/l (Algae)

- **12.2 Persistence and degradability** The organic portion of the product is biodegradable.
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
 Very toxic for aquatic organisms
 Also poisonous for fish and plankton in water bodies.
 Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.

* SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Recommended Hierarchy of Controls:
 - Minimise waste;
 - Reuse if not contaminated;
 - Recycle, if possible; or
 - Safe disposal (if all else fails).
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 Contact waste processors for recycling information.
 Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.
- **Uncleaned packaging:**
- **Recommendation:**
 Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
 Do not mix with other waste streams.
 Container remains hazardous when empty. Continue to observe all precautions.
 Disposal must be made according to official regulations.
 Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

* SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR/RID/ADN, IMDG, IATA** UN3077

(Contd. on page 12)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended





Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 11)

<ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR/RID/ADN · IMDG · IATA 	<p>UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate)</p> <p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate), MARINE POLLUTANT</p> <p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate)</p>
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR/RID/ADN <div style="display: flex; justify-content: space-around; align-items: center;">   </div> <ul style="list-style-type: none"> · Class · Label 	<p>9 (M7) Miscellaneous dangerous substances and articles.</p> <p>9</p>
<ul style="list-style-type: none"> · IMDG, IATA <div style="display: flex; justify-content: space-around; align-items: center;">   </div> <ul style="list-style-type: none"> · Class · Label 	<p>9 Miscellaneous dangerous substances and articles.</p> <p>9</p>
<ul style="list-style-type: none"> · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA 	<p>III</p>
<ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR/RID/ADN): · Special marking (IATA): 	<p>Product contains environmentally hazardous substances: Troclosene sodium, dihydrate</p> <p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p>
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · Hazchem Code: · EMS Number: · Stowage Category · Stowage Code 	<p>Warning: Miscellaneous dangerous substances and articles.</p> <p>90</p> <p>2Z</p> <p>F-A,S-F</p> <p>A</p> <p>SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.</p>
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	<p>Not applicable.</p>

(Contd. on page 13)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 12)

<ul style="list-style-type: none"> · Transport/Additional information: 	<p>Amounts up to 5kg or 5L per single or inner package are not regulated according to ADR/RID SP 375, IMDG 2.10.2.7 and IATA SP A197. DO NOT transport wet or damp product.</p>
<ul style="list-style-type: none"> · ADR/RID/ADN · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g</p>
<ul style="list-style-type: none"> · Transport category · Tunnel restriction code 	<p>3 (-)</p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p>UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM, DIHYDRATE), 9, III</p>

* SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients are listed.

· **Regulated poisons**

None of the ingredients are listed.

· **Reportable explosives precursors**

None of the ingredients are listed.

· **Reportable poisons**

None of the ingredients are listed.

· **Control Of Major Accident Hazards Regulations 2015 (COMAH)**

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

· **COMAH category** E1

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

— GB —

(Contd. on page 14)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Pool Fusion

(Contd. of page 13)

* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH031 Contact with acids liberates toxic gas.
- EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

· **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS: Product safety department.**

· **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Ox. Sol. 2: Oxidizing solids – Category 2
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Resp. Sens. 1: Respiratory sensitisation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**